




**London**  
Stock Exchange

MIT204 · MILLENNIUM EXCHANGE

# Post Trade Gateway (FIX 5.0)

Issue 10.4 · 22 March 2013



# Contents

<b>Post Trade Gateway (FIX 5.0)</b> .....	<b>1</b>
<b>Contents</b> .....	<b>2</b>
Disclaimer .....	4
<b>1 Introduction</b> .....	<b>5</b>
1.1 Purpose .....	5
1.2 Readership .....	5
1.3 Document series .....	5
1.4 Document history .....	6
1.5 Enquiries .....	7
<b>2 Service description</b> .....	<b>8</b>
2.1 Connection configuration .....	8
2.1.1 Real-time connections .....	8
2.1.2 Query-based service .....	8
2.2 Trade Information .....	9
2.2.1 Party Identifiers .....	9
2.2.2 Trade, Execution and Order Identifiers .....	10
2.3 Trade cancels .....	12
2.4 Timestamps and dates .....	12
2.5 Encryption .....	12
2.6 Off book trade reporting .....	12
2.7 Cancellation of on-book trades .....	15
2.7.1 Submitting a cancellation request .....	15
2.7.2 Acknowledgement of the cancellation request .....	15
2.7.3 Confirmation of the cancellation .....	16
2.8 Trade Identifiers .....	16
2.8.1 Firm Trade ID .....	16
2.8.2 Trade ID .....	16
<b>3 Connectivity</b> .....	<b>17</b>
3.1 ComplIDs .....	17
3.1.1 Passwords .....	17
3.2 Production IP addresses and ports .....	17
3.3 Failover and recovery .....	17
3.4 Connectivity Policy .....	18
<b>4 FIX connections and sessions</b> .....	<b>18</b>
4.1 Establishing a FIX connection .....	18
4.2 Maintaining a FIX session .....	20
4.2.1 Message Sequence Numbers .....	20
4.2.2 Heartbeats .....	20
4.2.3 Increasing Expected Sequence Number .....	20
4.3 Terminating a FIX connection .....	21
4.4 Re-establishing a FIX session .....	21
4.4.1 Resetting Sequence Numbers: Starting a new FIX session .....	22
<b>5 Recovery</b> .....	<b>23</b>

5.1	Resend Requests .....	23
5.2	Possible duplicates .....	23
5.3	Possible resends.....	23
5.4	Transmission of missed messages .....	23
5.4.1	Application sequencing and recovery.....	24
5.5	Resending previous trade capture reports .....	25
<b>6</b>	<b>Supported message types .....</b>	<b>26</b>
6.1	Administrative Messages .....	26
6.2	Application Messages (Client-Initiated) .....	26
6.3	Application Messages (Server-Initiated).....	27
6.4	Application Messages: Other (Server-Initiated) .....	27
6.5	Variations from the FIX Protocol .....	27
<b>7</b>	<b>Message formats .....</b>	<b>28</b>
7.1	Message header and trailer .....	28
7.1.1	Message Header.....	28
7.1.2	Message Trailer .....	30
7.2	Administrative messages .....	30
7.2.1	Logon.....	30
7.2.2	Logout.....	31
7.2.3	Heartbeat.....	31
7.2.4	Test Request .....	32
7.2.5	Resend Request .....	32
7.2.6	Reject .....	32
7.2.7	Sequence Reset .....	33
7.3	Application messages .....	33
7.3.1	Trade Capture Report.....	33
7.3.2	Trade Capture Report Request.....	47
7.3.3	Application Message Request.....	51
7.3.4	Application Message Request Ack.....	51
7.3.5	Trade Capture Report Ack .....	52
7.3.6	Trade Capture Report Request Ack .....	53
7.3.7	Business Message Reject.....	54
<b>8</b>	<b>Reject codes .....</b>	<b>56</b>
8.1	Trade Capture Report Ack .....	56
8.2	Business Message Reject.....	57
<b>9</b>	<b>Service availability .....</b>	<b>58</b>

## **Disclaimer**

The London Stock Exchange Group has taken reasonable efforts to ensure that the information contained in this publication is correct at the time of going to press, but shall not be liable for decisions made in reliance on it. The London Stock Exchange Group will endeavour to provide notice to customers of changes being made to this document, but this notice cannot be guaranteed. Therefore, please note that this publication may be updated at any time. The information contained is therefore for guidance only.

# 1 Introduction

The London Stock Exchange has provided a post trade gateway that will enable member firms to receive real-time information on executed trades. This interface can not be used to submit orders or quotes or receive market data.

The interface is a point-to-point service based on the technology and industry standards TCP/IP, FIXT and FIX. The session and application event models and messages are based on versions 1.1 and 5.0 (Service Pack 2) of the FIXT and FIX protocols respectively.

## 1.1 Purpose

The purpose of this document is to provide a technical description of the post trade gateway available on the Millennium Exchange platform.

## 1.2 Readership

This document outlines how to connect to the post trade gateway and the detailed message types and fields used.

When read in conjunction with the other Millennium Exchange guides, it is intended that these documents provide all of the details directly connected London Stock Exchange customers require to develop to the new services.

This document is particularly relevant to technical staff within the Exchange's member firms.

## 1.3 Document series

This document is part of a series of documents providing a holistic view of full trading and information services available from the London Stock Exchange post the migration to Millennium Exchange.

The current series of documents are set out below:

- MIT201 - Guide to the New Trading System
  - MIT202 – FIX Trading (FIX 5.0) Gateway Specification
  - MIT203 – Native Trading Gateway Specification
  - **MIT204 – Post Trade Gateway (FIX 5.0) Specification (this document)**
  - MIT205 – Drop Copy Gateway (FIX 5.0) Specification
- MIT301 - Guide to Market Data Services
  - MIT302 – FIX/FAST Message Specification
  - MIT303 – ITCH Message Specification
  - MIT304 - Regulatory News Service Specification
- MIT401 - Reference Data Service Specification
- MIT501 – Guide to the Customer Testing Services
  - MIT502 - Guide to Application Certification
  - MIT503 - Certification Report
- MIT601 – Guide to Trading Services Disaster Recovery

- MIT701 - Guide to Sponsored Access
- MIT801 – Reject Codes

This series principally covers non-regulatory information. It does not override or supersede the Rules of the London Stock Exchange, the AIM Rules or Admission and Disclosure Standards and is intended to be read in conjunction with these Rules documents and the Millennium Exchange Parameters document.

The latest version of this document series can be found at the following link:

<http://www.londonstockexchange.com/products-and-services/millennium-exchange/technicalinformation/technicalinformation.htm>

## 1.4 Document history

This document has been through the following iterations:

Issue	Date	Description
8.0	23 May 2011	Eighth issue of this document published via the London Stock Exchange's website and distributed to customers.
8.1	14 June 2011	New logon functionality will now be introduced in the next functional release which is yet to be scheduled. Please refer to page 16.
9.0	23 September 2011	Ninth issue of this document published via the London Stock Exchange's website and distributed to customers.
10.0	9 December 2011	Tenth issue of this document published via the London Stock Exchange's website and distributed to customers.
10.1	21 December 2011	Removed unused Trade Sub Types
10.2	28 September 2012	Amended to include new PriceDifferential tag. Published on London Stock Exchange's website and distributed to customers.
10.3	1 November 2012	Amended to include Connectivity Policy section 3.4
10.4	22 March 2013	Amended to reflect the latest Millennium enhancements.

10.4	25 April 2013	Update to Tag 1123 in Section 7.3.1.
------	---------------	--------------------------------------

In subsequent issues, where amendments have been made to the previous version, these changes will be identified using a series of side bars as illustrated opposite.

## 1.5 Enquiries

Please contact either the Technical Account Management Team or your Technical Account Manager if you have any questions about the Millennium Exchange services outlined in this document: Client Technology Services (UK) can be contacted at:

- Telephone: +44 (0)20 7797 3939
- Email: [londontam@londonstockexchange.com](mailto:londontam@londonstockexchange.com)

## 2 Service description

Clients will receive real-time information on the trades executed on the Exchange along with notifications of any trade cancel or correction. The details of trades executed on previous trading days are not available via this service.

### 2.1 Connection configuration

A member firm connection will be configured by the Exchange to receive all of its trades. If required, a member firm could be configured to only receive trades for selected users and securities.

For the purpose of redundancy, the service supports the configuration of multiple post trade connections to send the same information on the activity of the selected firms/mnemonics.

#### 2.1.1 Real-time connections

A real-time client will receive the details of each eligible trade immediately after it is executed. Please refer to Section 5 for a description of how the trades executed during the time a real-time client is disconnected from the server may be recovered.

#### 2.1.2 Query-based service

A query-based client will not receive any real-time notifications of its eligible trades. Such clients are expected to request the server for the details of trades as and when they are needed as outlined below.

##### 2.1.2.1 Trade Capture Report Requests / Own Trade Book Download

A client may use the Trade Capture Report Request message to request the details of all eligible trades or those that meet certain criteria. The server will respond with a Trade Capture Report Request Ack to indicate, via the TradeRequestStatus (750) and TradeRequestResult (749) fields, whether the request is successful or not.

If a request is accepted, the number of Trade Capture Reports that will be sent in response to the request will be indicated in the TotNumTradeReports (748) field of the Trade Capture Report Request Ack. The server will transmit the requested Trade Capture Reports immediately after the Trade Capture Report Request Ack. Each Trade Capture Report will include the TradeRequestID (568) of the request it is sent in response to. The last Trade Capture Report will include a LastRptRequested (912) of Last Message (Y).

If a request is rejected, the reason will be specified in the field TradeRequestResult (749) of the Trade Capture Report Request Ack.

The Trade Capture Report Request message can only be used to request a snapshot of the current eligible trades. It can not be used to subscribe to Trade Capture Reports.

#### **Request for all Trades**

The Trade Capture Report Request should include a TradeRequestType (569) of All Trades (0) if the client wishes to request the details of all eligible trades.

#### **Request for selected Trades**



The Trade Capture Report Request should include a TradeRequestType (569) of Trades Matching Specified Criteria (1) if the client wishes to request the details of eligible trades for a selected set of instruments or for a specified party, trade type or order.

The SecurityID (48) field of the Trade Capture Report Request may be used if the request relates to a single instrument.

The ExecType (150) field of the message may be used if the request is limited to cancelled trades or trades that have not been cancelled.

If a particular Trade Capture Report Request contains multiple criteria (e.g. SecurityID and Account), the server will treat it as a request for trades that match all of the specified criteria. If no trades match the specified criteria, the server will reject the request with a TradeRequest Result (749) of Cannot Match Selection Criteria (100).

## 2.2 Trade Information

The FIX Trade Capture Report message is utilised by the service to transmit the details of each trade. A separate Trade Capture Report will be sent for each side of a trade. In the case of a trade,, TradeHandlingInstr (1123) will be Trade Confirmation (0), ExecType (150) will be Trade (F), MatchStatus (573) will be Matched (0), TradeReportTransType (487) will be New (0) and TradeReportType (856) will be Submit (0) (In certain cases of off book trade reports, TradeReportTransType(487) may be set to Replace(2)).

For example, if an off book trade is submitted which is published immediately, the submitting party first receives a Trade Capture Report Ack followed by a Trade Capture Report (where TradeReportTransType(487) set to Replace (2)). No further Trade Capture Report is sent with a TradeReportTransType(487) set to Released(3).

A Trade Capture Report with a TradeReportTransType (487) of Released (3) indicates that a previously reported off book trade has been pre-released on the market data feed or if a delayed off book trade is published with the following the initial delay.

For example, If an off book trade is submitted which is published with a delay, the submitting party first receives a Trade Capture Report Ack followed by a Trade Capture Report (where TradeReportTransType(487) set to Replace(2)). Then when the trade is actually published, it receives another Trade Capture Report with TradeReportTransType(487) set to Released (3).

Each message will contain both basic and value added information on the trade (e.g. price quantity, consideration, settlement date, accrued interest, etc.), the security (e.g. ISIN) and the parties (e.g. trading firm). It will also contain information related to the computation of execution fees (e.g. maker or taker, trade type, etc.).

### 2.2.1 Party Identifiers

ID	Description	PartyRole (452)
Executing Firm	The trading firm the executed order was submitted under.	1
Trading Group	The unit of the firm the executed order was submitted under. Must be specified when reporting a trade.	76

Counterparty	Counterparty of the trade in case the trade is bilaterally settled or is subjected to SETS Internalisation. For cleared trades, the CCP will be stamped as the counterparty. For non members, the MemberID will NONMEMBER01	17
Trader ID	Trader ID of the trader who executed the trade.	12
Clearing Organisation	Clearing member for the particular trade.	21

## 2.2.2 Trade, Execution and Order Identifiers

### 2.2.2.1 Trade Report ID

The TradeReportID (571) of each Trade Capture Report is unique across trading days. The Trade Capture Reports published to report the two sides of a trade will contain different TradeReportIDs. A Trade Capture Report published to notify a client of a trade cancel includes the TradeReportID of the message that was published to report the trade in the TradeReportRefID (572) field.

### 2.2.2.2 Trade ID

The Trade Capture Reports published to report the two sides of a particular trade will contain the same TradeID (1003). Trade IDs are unique across trading days. A Trade Capture Report published to notify a client of a trade cancel or correction includes the TradeID (1003) of the relevant trade.

### 2.2.2.3 Execution ID

A Trade Capture Report will contain the Execution ID of the Execution Report message sent by the Trading Gateway to report the execution of an order to the firm that submitted it. This Execution ID will be specified in the SideExecID (1427) field of the Trade Capture Report.

The Execution Reports published to report the two sides of an execution will contain different Execution IDs which are unique across trading days.

### 2.2.2.4 Trade Link ID

A Trade Capture Report will contain the Trade Link ID which will be the same for all orders within aggression of an order.

All the Trade Capture Reports which were generated from an auction will have the same Trade Link ID.

### 2.2.2.5 Order IDs

The matching system's order identification number for the executed order will be included in the OrderID (37) field of the Trade Capture Report.

Order IDs are unique across trading days. In terms of the FIX protocol, unlike CIOrdID (11) which requires a chaining through Cancel/Replace Requests and Cancel Requests, the OrderID (37) of an order will remain constant throughout its life.

#### 2.2.2.6 Client Order IDs

In the case of orders, the ClOrdID (11) included in the Trade Capture Report will be that specified when the order was submitted. An order's ClOrdID (11) will be updated each time an Order Cancel/Replace Request or an Order Cancel Request is accepted.

In the case of quotes, the ClOrdID (11) included in the Trade Capture Report will be the QuoteID (117) or QuoteEntryID (299) of the executed quote.

#### 2.2.2.7 Trade Type

An indication of whether the trade was executed on or off the order book will be specified in the TrdType (828) field of a Trade Capture Report. In the case of an off book trade, the message will also include the type of off book trade in the field TrdSubType (829). Please refer to Section 7.3 for a list of valid off book trade types.

#### 2.2.2.8 Information for billing

Each Trade Capture Report will specify the methodology under which a trade was executed (e.g. continuous trading, auction, etc.), the type of interest (e.g. order, quote, etc.) and whether an order was a maker or taker of liquidity via the MatchType (574), OrderCategory (1115) and SideLiquidityInd (1444) fields respectively.

In the case of trades executed during an auction, both sides of the trade will be flagged as passive.

#### 2.2.2.9 Acknowledgement of a Third Party Trade Report

TCR Ack sent by the Post Trade Gateway to acknowledge or reject a trade report is, in the case of a third party trade report, only sent to the User that submitted the trade report (i.e. SenderCompID of the TCR). TCR Ack is not sent to the counterparty firms.

#### 2.2.2.10 Confirmation of a Third Party Trade Report

In the case of trade reports submitted by third parties, two TCRs generated by the system (i.e. one each for buy and sell side) to confirm an off-book trade, the pre-release of an off-book trade or the cancellation of an off-book trade is sent to the third party User that submitted the request and the counterparties to the trade. **Post** Trade Gateway sends each counterparty (i.e. the executing firm and the contra firm) Trade Capture Report related to its side of the trade. TCR is sent to the owner (Trader Group - 76) of the trade. Post Trade Gateway should also send the third party user who submitted the trade report (SenderCompID) two TCRs: one for the buy side and one for the sell side

#### 2.2.2.11 Notification of Direct Actions by Counterparties

A User authorized to submit trade reports on behalf of other firms (Third party User) does not receive any notifications (i.e. TCR Ack or TCRs) in the case of off-book trades that have been submitted to the system for registration by its customers directly or via another third party.

## 2.3 Trade cancels

Market Operations may cancel a trade on behalf of a member firm. The server will transmit Trade Capture Reports to the relevant clients to notify them of a trade cancel.

The cancelled trade will be identified in the TradeReportRefID (572) and TradeID (1003) fields.

In the case of a trade cancel, TradeReportTransType (487) will be Cancel (1) and TradeReportType (856) will be Trade Break (7).

## 2.4 Timestamps and dates

The timestamps SendingTime (52), OrigSendingTime (122) and TransactTime (60) should be in UTC and in the YYYYMMDD-HH:MM:SS.sss format.

All dates (i.e. SettlDate (64), MaturityDate (541) and IssueDate (225)) will be in the YYYYMMDD format and specified in the local date for the server (i.e. not in UTC).

## 2.5 Encryption

The encryption of messages between the client and server is not supported.

## 2.6 Off book trade reporting

The server supports the following methodology for the reporting of privately negotiated trades:

- (i) **Single-sided trade report** – The trade is reported by only one of the counterparties which should include both counterparties of the trade in a single Trade Capture Report. A Trade Capture Report Ack will be used by the server to acknowledge the receipt of or reject a trade report. The server will transmit a Trade Capture Report if the trade is confirmed. Clients can cancel a confirmed trade.

### 2.6.1.1 Reporting a trade

The client should submit a pre-negotiated trade for confirmation via a Trade Capture Report containing both sides of the trade (i.e. NoSides (552) = 2). Each of the sides groups will contain a Parties block which contains information of only the party which participated in the particular side of the trade. The firm which reports the trade to the system will be identified via PartyRole(452) of Executing Firm (1) and the contra-party will be identified via PartyRole(452) of Counterparty Firm (17). The trader group which participated in the trade is required to be identified via PartyRole(452) of Trader Group(76) for the Executing Firm while the trade group of the counterparty can be specified optionally. It is also possible to (optionally) enter the trader who executed trade via PartyRole(452) of Trader ID(12).

The message should include a trade identifier agreed by the two counterparties in the field FirmTradeID (1041). The Trade Capture Report should also include a TradeReportTransType (487) of New (0), a TradeReportType (856) of Submit (0) and a TradeHandlingInstr (1123) of Two-Party Report (1). The time at which the privately negotiated trade was concluded should be specified in the TransactTime (60) field.

### 2.6.1.2 Acknowledgement of a trade

A trade report will be acknowledged by the server via a [Trade Capture Report Ack](#). The trade report being acknowledged will be identified in FirmTradeID (1041) field. The

TrdRptStatus (939) field will indicate whether the trade report is Accepted (0) or Rejected (1). If a trade report is rejected, the reason for the rejection will be specified in the TradeReportRejectReason (751) field. The MatchStatus (573) of the message will be Unmatched (1). The TransactTime (60) will contain the same value submitted with the request<sup>1</sup>.

#### 2.6.1.3 Confirmation of a trade

If the trade is confirmed, the service will transmit a Trade Capture Report with a TradeHandlingInstr (1123) of Trade Confirmation (0). The pre-negotiated trade being confirmed will be identified via the FirmTradeID (1041) field. The identifier assigned to the trade will be specified as the TradeID (1003).

The Trade Capture Report transmitted by the service will also include a TradeReportTransType (487) of Replace (2), a MatchStatus (573) of Matched (0), a ExecType (150) of Trade (F), a TradeReportType (856) of Submit (0), a TradeHandlingInstr (1123) of Trade Confirmed (0) and a OrigTradeHandlingInstr (1124) of Two-Party Report (1).

The Trade Capture Report transmitted by the server for the counterparty will include all the details above with the exception that TradeReportTransType (487) being set to New (0).

#### 2.6.1.4 Cancellation of a trade

The participant who submitted the trade can request the trade to be cancelled.

The request for cancellation of a trade should be submitted via a Trade Capture Report which should include a TradeReportType (856) of Trade Report Cancel (6) and a TrdType (828) of Off book Trade (54). The trade report to be cancelled should be identified via TradeID (1003) field.

The Trade Capture Report should also include a TradeReportTransType (487) of New (0) and a TradeHandlingInstr (1123) of Two-Party Report (1).

The system should validate the side specified for the executing firm when a cancel request is submitted for an off-book trade. This should apply to both reporting models (i.e. single sided and dual sided). The applicable reject code and reason should be '7058' and 'Invalid side for executing firm' respectively.

#### 2.6.1.5 Acknowledgement of a Cancellation Request

A cancel request will be acknowledged by the server via a Trade Capture Report Ack. The request being acknowledged will be identified via the TradeID (1003) field. The TrdRptStatus (939) will indicate whether the request is Accepted (0) or Rejected (1). If a cancel request is rejected, the reason for the rejection will be specified in the Trade ReportRejectReason (751) field.

#### 2.6.1.6 Confirmation of the cancellation

If the trade is cancelled, the server will transmit a Trade Capture Report to each of the two counterparties. Each message will include a TradeReportType (856) of Trade Report Cancel (6). The trade being cancelled will be identified via the FirmTradeID (1041), TradeID (1003) and TradeReportRefID (572) fields.

---

<sup>1</sup> To identify a registration request, the TradeReportType(856) and TradeReportTransType(487) fields are used. If at least one of these fields are missing in the request, the value sent in the TransactTime(60) field of the TCR Ack is the time the message was generated by the server

The Trade Capture Reports will include a TradeHandlingInstr (1123) of Trade Confirmation (0), a MatchStatus (573) of Unmatched (1), an ExecType (150) of Trade Cancel (H) and an OrigTradeHandlingInstr (1124) of Two-Party Report (1). The TradeReportTransType (487) will be Replace (2) in the case of the party that requested the cancellations and Cancel (1) in the case of the contra party.

#### 2.6.1.7 Pre-release of a trade

The participant who submitted the trade can request the trade to be published before the end of the delay period.

The request for pre-release of a trade should be submitted via a Trade Capture Report which should include a TradeReportType (856) of Submit (0) and TradeReportTransType (487) of Release (3).

The trade report to be pre-released should be identified via TradeID (1003) field.

The Trade Capture Report should also include a TradeHandlingInstr (1123) of Two-Party Report (1).

The system should validate the side specified for the executing firm when a pre-release is submitted for an off-book trade. This should apply to both reporting models (i.e. single sided and dual sided). The applicable reject code and reason should be '7058' and 'Invalid side for executing firm' respectively.

#### 2.6.1.8 Acknowledgement of a pre-release request

A pre-release request will be acknowledged by the server via a Trade Capture Report Ack. The request being acknowledged will be identified via the TradeID (1003) field. The TrdRptStatus (939) will indicate whether the request is Accepted (0) or Rejected (1). If a pre-release request is rejected, the reason for the rejection will be specified in the Trade ReportRejectReason (751) field.

The MatchStatus (573) of the message will be Matched (0)<sup>2</sup>. The TransactTime (60) will contain the time the message was generated by the server.

#### 2.6.1.9 Confirmation of a Pre-Release

If the trade is released on the market data feed, the server will transmit a Trade Capture Report to each of the two counterparties. Each message will include a TradeReportTransType (487) of Release (3). The trade being pre-released will be identified via the FirmTradeID (1041) and TradeID (1003) fields.

The Trade Capture Reports will also include a TradeHandlingInstr (1123) of Trade Confirmation (0), a MatchStatus (573) of Matched (0), an ExecType (150) of Trade (F), a TradeReportType (856) of Submit (0) and an OrigTradeHandlingInstr (1124) of Two-Party Report (1).

---

<sup>2</sup> When PTTPS can't figure out the trade the withdrawal request, pre-release or cancel request/response is sent for (E.g. incorrect TradeID or not an active trade in the system), TCR Ack should have a MatchStatus (573) of Unmatched (1). When PTTPS can figure out the trade for which the pre-release or cancel request/response is sent for and the trade is an active trade, TCR Ack should have a MatchStatus (573) of Matched(0);

## 2.6.1.10 FIX Tag Values

Event	TCR sent from the server	
	If recipient is the reporting party	If recipient is the counterparty
Off Book Trade Confirmation	TradeReportType(856) = 0 - Submit TradeReportTransType(487) = 2 - Replace	TradeReportType(856) = 0 - Submit TradeReportTransType(487) = 0 - New
Off Book Trade Cancellation	TradeReportType(856) = 6 - Trade Report Cancel TradeReportTransType(487) = 2 - Replace	TradeReportType(856) = 6 - Trade Report Cancel TradeReportTransType(487) = 1 - Cancel
Off Book Trade Pre-release or publish	TradeReportType(856) = 0 - Submit TradeReportTransType(487) = 3 - Release	TradeReportType(856) = 0 - Submit TradeReportTransType(487) = 3 - Release

## 2.7 Cancellation of on-book trades

This section outlines event flow for the cancellation of on book trades by participants.

An on book trade will only be cancelled if requests to cancel it are received from both counterparties. Each counterparty is required to submit its cancel request separately via a Trade Capture Report. The server will use a Trade Capture Report Ack to acknowledge or reject each such request. Once both cancel requests are received, the server will confirm the trade cancellation to each of the counterparties via separate Trade Capture Reports. A counterparty may not withdraw a pending trade cancellation request. Unmatched trade cancellation requests do not carry forward to the next trading day.

### 2.7.1 Submitting a cancellation request

A client should submit a cancel request via a Trade Capture Report. The message should include the identifier assigned to the trade by Exchange in the TradeID (1003) field. The message should also include a TradeReportType (856) of Trade Report Cancel (6), a TradeReportTransType (487) of New (0), NoSides (552) =1 and the identity of the instrument.

#### 2.7.1.1 Security Identification

Instruments may be identified using the SecurityID (48) field. The Trade Capture Report Ack message transmitted by the server in response to a Trade Capture Report will contain the identity of the instrument in the SecurityID (48) Symbol (55) field.

#### 2.7.1.2 Trader group

Trading privileges (e.g. ability to cancel a trade, submit trade reports) are assigned at the level of trader groups. A Trade Capture Report submitted by a client should, therefore, include the trader group the message is submitted under as well as the Side(54) of the trade the particular participant is cancelling. If the PartyRole(452) of TraderGroup(76) is not included in a message, then the system will reject the message unless the particular party block refers to a Counterparty Firm.

### 2.7.2 Acknowledgement of the cancellation request

A cancel request will be acknowledged by the server via a Trade Capture Report Ack. The request being acknowledged will be identified via the TradeID (1003) field. The TrdRptStatus (939) will indicate whether the request is Accepted (0) or Rejected (1). If a cancel request is

rejected, the reason for the rejection will be specified in the Trade ReportRejectReason (751) field. The MatchStatus (573) of the message will be Matched (0).

### **2.7.3 Confirmation of the cancellation**

The trade will be cancelled by the system if requests to cancel it are received and confirmed from both counterparties. The server will transmit a Trade Capture Report to each of the two counterparties to confirm the cancellation.

Each message will include an ExecType (150) of Trade Cancel (H) and a TradeReportType (856) of Trade Report Cancel (6). The trade being cancelled will be identified via the TradeID (1003) and TradeReportRefID (572) fields. The messages will include a Trade HandlingInstr (1123) of Trade Confirmation (0), a TradeReportTransType (487) of Cancel (1) and a MatchStatus (573) of Unmatched (1).

## **2.8 Trade Identifiers**

### **2.8.1 Firm Trade ID**

The server does not validate the FirmTradeID (1041) of each trade for uniqueness. However, it is necessary that counterparties assign a unique FirmTradeID to each off book trade. The FirmTradeID (1041) field will be used only to identify the off book trade up until the trade is confirmed by the system, once confirmed, the TradeID (1003) assigned to the trade by the system should be used for cancellation and pre-release requests.

Customers should note that Firm Trade ID (1041) is limited to 50 characters. Any Trade Capture Report submitted with a length greater than this will be rejected via a Reject message (35=3) with a Session Reject Reason (373) = 5 and Text (58) = "Value out of range for this tag."

### **2.8.2 Trade ID**

The Trade ID (1003) of each trade confirmed by the service is unique across trading days.



# 3 Connectivity

## 3.1 ComplIDs

The ComplID of each client must be registered with The Exchange before FIX communications can begin. A single client may have multiple connections to the server (i.e. multiple FIX sessions, each with its own ComplID).

The gateway server will be assigned a ComplID. The messages sent to the server should contain the ComplID assigned to the client in the field SenderComplID (49) and ComplID of the server in the field TargetComplID (56). The messages sent from the server to the client will contain ComplID of the server in the field SenderComplID (49) and the ComplID assigned to the client in the field TargetComplID (56).

### 3.1.1 Passwords

Each new ComplID will be assigned a password on registration which must be changed via the Logon message. The status of the new password (i.e. whether it is accepted or rejected) will be specified in the SessionStatus (1409) field of the Logon message sent by the server to confirm the establishment of a FIX connection. The new password will, if accepted, be effective for subsequent logins.

In terms of the London Stock Exchange password policy, the initial password of each username must be changed at least once. If not, the client will be unable to login to the server. In such a case, the client should contact the London Stock Exchange.

New passwords should adhere to the rules below:

- Minimum length – 8 characters
- Maximum length – 14 characters
- Minimum numeric characters – 1 character
- Minimum alpha characters – 1 character
- Minimum special characters – 1 character

## 3.2 Production IP addresses and ports

The IP addresses and ports for the post trade gateway will be published in a separate configuration document which can be found on the Millennium Exchange Technical Information website.

## 3.3 Failover and recovery

The system has been designed with fault tolerance and disaster recovery technology that ensures that trading should continue in the unlikely event of a process, gateway or site outage.

On unexpected disconnection from the primary gateway, a customer should ensure that their application behaves in accordance with the London Stock Exchange's connectivity policy.

## 3.4 Connectivity Policy

An application should attempt to connect a maximum of 3 times to the primary gateway with a minimum time out value of 3 seconds between attempts before attempting to connect to the secondary gateway – and this should be retried a maximum of a further 3 times. After 6 failed connection attempts (3 on each gateway) the clients should contact London Stock Exchange for further guidance.

Information on London Stock Exchange's Connectivity Policy can be found at the following link:

<http://www.londonstockexchange.com/products-and-services/technical-library/technical-guidance-notes/technical-guidance-notes.htm>

# 4 FIX connections and sessions

## 4.1 Establishing a FIX connection

FIX connections and sessions between the client and server are maintained as specified in the FIX protocol.

Each client will use the assigned IP address and port to establish a TCP/IP session with the server. The client will initiate a FIX session at the start of each trading day by sending the Logon message. The client will identify itself using the SenderCompID (49) field. The server will validate the CompID, password and IP address of the client.

Once the client is authenticated, the server will respond with a Logon message. The SessionStatus (1409) of this message will be Session Active (0). If the client's Logon message included the field NewPassword (925) and the client is authenticated, the SessionStatus (1409) of the Logon message sent by the server will indicate whether the new password is accepted or rejected.

The client must wait for the server's Logon message before sending additional messages. If additional messages are received from the client before the exchange of Logon messages, the TCP/IP connection with the client will be disconnected.

***Please note that the functionality grayed out below will now be introduced in a future functional release which is yet to be scheduled.***

*A successful logon response will always be followed by a Test Request Message. If the client responds to the Test Request with a Heartbeat message containing the appropriate Test Request ID and message sequence number, the server can start transmitting the missed messages or new messages in the Gateway.*

*If the client ignores the Test Request because the sequence number in the message is higher than the expected sequence number, the Client is expected to send a Resend Request asking for the missed messages. After responding to the Resend Request the FIX Gateway would send another Test Request to make sure both the client and server is in sync before sending out any missed or new application messages.*

*If the client sends a Resend Request before the FIX Gateway send a Test Request, then the FIX Gateway will serve the Resend Request first. After responding to the Resend Request*

*the FIX Gateway would send a Test Request to make sure both the client and server are in sync before sending out any missed or new application messages.*

*When the client sends a logon with a sequence number higher than expected by the FIX Gateway, the FIX gateway will send a Resend Request and once the response/s to the Resend Request is processed by the FIX Gateway, the FIX Gateway would send a Test Request to make sure both the client and server is in sync before sending out any missed or new application messages*

If a logon attempt fails because of an invalid SenderCompID, TargetCompID, IP address, invalid password or because the user does not have the appropriate privileges, the server will break the TCP/IP connection with the client without sending a Logout or Reject message. If during a logon of a SenderCompID, the server receives a second connection attempt via different TCP/IP connection while a valid FIX session is already underway for that same SenderCompID, the server will break the TCP/IP connection with the second connection without sending a Logout or Reject message. As the logon attempt failed, the server will not increment the next inbound message sequence number expected from the client.

If a logon attempt fails because of an expired password, a locked CompID or if logins are not currently permitted, the server will send a Logout message and then break the TCP/IP connection with the client. In these scenarios the next inbound sequence number expected from the client will be incremented but the outbound sequence number will not be incremented. The message sequence number '1' will be sent with the Logout message.

If a logon attempt fails because of a session level failure (e.g. due to invalid EncryptMethod or DefaultAppVerID...etc) both the inbound sequence number and the outbound sequence number will not be incremented. The message sequence number '1' will be sent with the Logout message.

However if a session level failure occurs due to a message sent by a client which contains a sequence number that is less than what is expected and the PossDupFlag (43) is not set to "Y", then the server will send a Logout message and terminate the FIX connection. In this scenario the inbound sequence number will not be incremented but the outbound sequence number will be incremented.

If during a logon of a SenderCompID, the server receives a second connection attempt via the same TCP/IP connection while a valid FIX session is already underway for that same SenderCompID, the server will send a Reject message and then break the TCP/IP connection with the client. The server will increment the next inbound message sequence number expected from the client as well as its own outbound message sequence number.

The impact of logon failures on sequence numbers is summarised in the table below:

Reason for Logon Failure	Session status (of logout)	Inbound Sequence Number	Outbound Sequence Number
Invalid or expired password	8 (password expired)	Incremented by 1	Does not increase (defaulted to 1)
Locked/suspended/inactivated CompID	6 (account locked)	Incremented by 1	Does not increase (defaulted to 1)

Logins are not currently permitted	7 (logins are not allowed)	Incremented by 1	Does not increase (defaulted to 1)
Session level failure (e.g. due to invalid EncryptMethod or DefaultApplVerID etc)	101 (logout session level failure)	Does not increase	Does not increase (defaulted to 1)
Login sequence number is less than the expected sequence number	101 (logout session level failure)	Does not increase	Incremented by 1
Second connection attempt	?	Incremented by 1	Incremented by 1

## 4.2 Maintaining a FIX session

### 4.2.1 Message Sequence Numbers

As outlined in the FIX protocol, the client and server will each maintain a separate and independent set of incoming and outgoing message sequence numbers. Sequence numbers should be initialised to 1 (one) at the start of the FIX session and be incremented throughout the session.

Monitoring sequence numbers will enable parties to identify and react to missed messages and to gracefully synchronize applications when reconnecting during a FIX session.

If any message sent by the client contains a sequence number that is less than what is expected and the PossDupFlag (43) is not set to "Y", the server will send a Logout message and terminate the FIX connection. The Logout message will contain the next expected sequence number.

A FIX session may not continue to the next trading day. The server will initialise its sequence numbers at the start of each trading day. The client is expected to employ the same logic.

### 4.2.2 Heartbeats

The client and server will use the Heartbeat message to exercise the communication line during periods of inactivity and to verify that the interfaces at each end are available. The heartbeat interval will be the HeartBtInt (108) specified in the client's Logon message,

The server will send a Heartbeat message anytime it has not transmitted a message for the heartbeat interval. The client is expected to employ the same logic.

If the server detects inactivity for a period longer than the HeartBtInt (108) specified in the client's Logon message, it will send a Test Request message to force a Heartbeat message from the client. The server will send a Logout message and break the TCP/IP connection with the client. The client is expected to employ similar logic if inactivity is detected on the part of the server.

### 4.2.3 Increasing Expected Sequence Number

The client or server may use the Sequence Reset message in Gap Fill mode if it wishes to increase the expected incoming sequence number of the other party.

The client or server may also use the Sequence Reset message in Sequence Reset mode if it wishes to increase the expected incoming sequence number of the other party. The Sequence Reset mode should only be used to recover from an emergency situation. It should not be relied upon as a regular practice.

### 4.3 Terminating a FIX connection

The client is expected to terminate each FIX connection at the end of each trading day before the server shuts down. The client will terminate a connection by sending the Logout message. The server will respond with a Logout message to confirm the termination. The client will then break the TCP/IP connection with the server.

All open TCP/IP connections will be terminated by the server when it shuts down (a Logout message will be sent). Under exceptional circumstances the server may initiate the termination of a connection during the trading day by sending the Logout message.

If, during the exchange of Logout messages, the client or server detects a sequence gap, it should send a Resend Request.

### 4.4 Re-establishing a FIX session

If a FIX connection is terminated during the trading day it may be re-established via an exchange of Logon messages.

Once the FIX session is re-established, the FIX Gateway would also send a Test Request to confirm if the sequence numbers are in sync. Ideally the message sequence numbers should continue from the last message successfully transmitted prior to the termination.

***Please note that the functionality grayed out below will now be introduced in a future functional release which is yet to be scheduled.***

*If the client responds to the Test Request with a Heartbeat message containing the appropriate Test Request ID and message sequence number, the server can start transmitting the missed messages or new messages in the Gateway. If the client does not respond to the Test Request during the heartbeat interval, the gateway will disconnect the client.*

*If the client ignores the Test Request because the sequence number in the message is higher than the expected sequence number, the Client is expected to send a Resend Request asking for the missed messages. After responding to the Resend Request the FIX Gateway would send another Test Request to make sure both the client and server is in sync before sending out any missed or new application messages.*

*If the client sends a Resend Request before the FIX Gateway send a Test Request, then the FIX Gateway will serve the Resend Request first. After responding to the Resend Request the FIX Gateway would send a Test Request to make sure both the client and server are in sync before sending out any missed or new application messages.*

When the client sends a logon with a sequence number higher than expected by the FIX Gateway, the FIX gateway will send a Resend Request and once the response/s to the Resend Request is processed by the FIX Gateway, the FIX Gateway would send a Test Request to make sure both the client and server is in sync before sending out any missed or new application messages

## **4.4.1 Resetting Sequence Numbers: Starting a new FIX session**

### **4.4.1.1 Reset initiated by the client**

If the client requires both parties to initialise (i.e. reset to 1) sequence numbers, it may use the ResetSeqNumFlag (141) field of the Logon message. The server will respond with a Logon message with the ResetSeqNumFlag (141) field set to “Y” to confirm the initialisation of sequence numbers.

A client may also manually inform the service desk that it would like the server to initialise its sequence numbers prior to the client’s next login attempt.

These features are intended to help a client manage an emergency situation. Initializing sequence numbers on a re-login should not be relied upon as a regular practice.

### **4.4.1.2 Reset initiated by the server**

Millennium Exchange has been designed with fault tolerance and disaster recovery technology that should ensure that the server retains its incoming and outgoing message sequence numbers for each client in the unlikely event of a process or site outage.

However, in case the sequence numbers needs to be reset, clients are required to support a manual request by the Exchange to initialise sequence numbers prior to the next login attempt.

# 5 Recovery

## 5.1 Resend Requests

The client may use the Resend Request message to recover any lost messages. As outlined in the FIX protocol, this message may be used in one of three modes:

- (i) To request a single message. The BeginSeqNo (7) and EndSeqNo (16) should be the same.
- (ii) To request a specific range of messages. The BeginSeqNo (7) should be the first message of the range and the EndSeqNo (16) should be the last of the range.
- (iii) To request all messages after a particular message. The BeginSeqNo (7) should be the sequence number immediately after that of the last processed message and the EndSeqNo (16) should be zero (0).

## 5.2 Possible duplicates

The server handles possible duplicates according to the FIX protocol. The client and server will use the PossDupFlag (43) field to indicate that a message may have been previously transmitted with the same MsgSeqNum (34).

## 5.3 Possible resends

The server may, in the circumstances outlined in Sections 5.4 and 5.5, use the PossResend (97) field to indicate that a Trade Capture Report may have already been sent under a different MsgSeqNum (34). The client should validate the TradeReportID (571) of such a message against that of previous Trade Capture Reports received from the server during the current trading day.

If a Trade Capture Report with the same TradeReportID (571) had been processed, the resent Trade Capture Report should be ignored. If the same TradeReportID (571) had not been processed, the message should be processed.

The server does not handle possible resends for client-initiated messages and ignores the value in the PossResend (97) field of such messages.

## 5.4 Transmission of missed messages

The Trade Capture Reports generated during a period when a client is disconnected from the server will be sent to the client when it next reconnects. In the unlikely event the disconnection was due to an outage of the server, all such messages will include a PossResend (97) of "Y".

### 5.4.1 Application sequencing and recovery

The server supports the application sequencing and recovery features introduced in Service Pack 2 for FIX 5.0. A client may use the Application Message Request to recover missed trades in scenarios such as the following:

- (i) Trades are missed due to a late connection or disconnection during the day.
- (ii) Session level recovery via a Resend Request is unavailable due to a sequence number reset initiated by the client or server.
- (iii) All or some of the trades transmitted by the server during the current day are lost due to a failure at the client site.

#### 5.4.1.1 Application sequencing by server

The matching system consists of a series of parallel partitions each of which provide the matching service for an exclusive set of securities.

Each Trade Capture Report transmitted by the server will include the identity of the matching partition that generated the trade and the partition's internal sequence number for the trade in the fields ApplID (1180) and ApplSeqNum (1181) respectively. As the matching partitions operate in parallel and employ the same application sequencing scheme, an ApplSeqNum (1181) is only unique per ApplID (1180). The ApplSeqNum of each ApplID will be initialised to "1" at the start of each trading day.

As a client will only receive a subset of the trades executed by each matching partition, the field ApplLastSeqNum (1350) is also included in each Trade Capture Report. This field will contain the ApplSeqNum of the last Trade Capture Report generated for client. This will enable clients to distinguish deliberate sequence gaps from application errors by comparing the value of ApplLastSeqNum (1350) to the ApplSeqNum (1181) of the last received Trade Capture Report from the same ApplID (1180). Trade Capture Reports sent as a response to Trade Capture Report Request will not contain ApplLastSeqNum (1350).

The Exchange may change the number of partitions and the securities each serves with due notice to clients.

#### 5.4.1.2 Detecting an application sequence gap

A client can detect a dropped message by comparing the ApplLastSeqNum (1350) of each new Trade Capture Report against the ApplSeqNum (1181) of the last trade received from the same ApplID (1180).

In the case of a reconnection, the client can either wait for the next Trade Capture Report to determine whether trades have been missed or issue a request for the most current ApplSeqNum for each ApplID.

#### Requesting the Latest ApplSeqNum

The client may use the Application Message Request to request the latest ApplSeqNum for one or more ApplIDs. The ApplReqType (1347) of the message should be Request for Last ApplLastSeqNum (2).

#### Response to Request for Latest ApplSeqNum

The server will respond to the Application Message Request with an Application Message Request Ack. If the request was unsuccessful for a particular ApplID, the reason will be specified in the field ApplResponseError (1354). In the case of a successful request, the ApplSeqNum of the last trade generated for the client by each ApplID will be specified in the field RefApplLastSeqNum (1357).



#### 5.4.1.3 Requesting retransmission of missed trades

The client may use the Application Message Request to recover any lost trades. The ApplReqType (1347) of the message should be Retransmission of Application Messages (0). The message may be used in one of four modes:

- (i) To request a single trade. The ApplBegSeqNum (1182) and ApplEndSeqNum (1183) should be the same.
- (ii) To request a specific range of trades. The ApplBegSeqNum (1182) should be the first trade of the range and the ApplEndSeqNum (1183) should be the last of the range.
- (iii) To request all trades after a particular trade. The ApplBegSeqNum (1182) should be the application sequence number immediately after that of the last processed trade and the ApplEndSeqNum (1183) should be zero (0).
- (iv) To request all trades for the day. The ApplBegSeqNum (1182) should be one (1) and the ApplEndSeqNum (1183) should be zero (0).

In all cases, the client should identify the matching partition to which the request relates via the field RefApplID (1355).

#### 5.4.1.4 Response to a trade Retransmission Request

The server will respond to the Application Message Request with an Application Message Request Ack to indicate whether the retransmission request is successful or not. If the request was unsuccessful for a particular ApplID, the reason will be specified in the field ApplResponseError (1354).

In the case of a successful retransmission request, the server will resend the requested Trade Capture Reports and Trade Capture Report Acks immediately after the Application Message Request Ack. Each Trade Capture Report and Trade Capture Report Ack will include an ApplResendFlag (1352) of "Y" to indicate that it is resent in response to an Application Message Request. The resent messages will not include the field ApplLastSeqNum (1350). A Trade Capture Report ACK will not be sent if the initial Trade Capture Report is rejected at Gateway level.

#### 5.4.1.5 Disconnection prior to completion of Retransmission

If the FIX connection is terminated prior to the completion of the Trade Capture Report retransmission, the client should submit a new Application Message Request once it reconnects to the server.

### 5.5 Resending previous trade capture reports

If the client's application does not support the application sequencing and recovery features of FIX, it may manually inform the service desk that it would like the server to resend all of the Trade Capture Reports generated during the current trading day that it is eligible to receive when it next logs in. All resent Trade Capture Reports will include a PossResend (97) of "Y".

This feature is intended to help a client manage an emergency situation and it should not be relied upon as a regular practice.

## 6 Supported message types

This section lists all administrative and application message types supported by the server. Any message not included in this section will be ignored by the server.

### 6.1 Administrative Messages

All administrative messages may be initiated by either the client or the server.

Message	MsgType	Usage
Heartbeat	0	Allows the client and server to exercise the communication line during periods of inactivity and verify that the interfaces at each end are available.
Logon	A	Allows the client and server to establish a FIX session.
Test Request	1	Allows the client or server to request a response from the other party if inactivity is detected.
Resend Request	2	Allows for the recovery of messages lost during a malfunction of the communications layers.
Reject	3	Used to reject a message that does not comply with FIXT.
Sequence Reset	4	Allows the client or server to increase the expected incoming sequence number of the other party.
Logout	5	Allows the client and server to terminate a FIX session.

### 6.2 Application Messages (Client-Initiated)<sup>3</sup>

Message	MsgType	Usage
Application Message Request	BW	Allows the client to request one of the following: (i) Retransmission of missed trades (ii) Latest ApplSeqNum of each ApplID
Trade Capture Report	AE	Allows the client to report an off book trade and manipulate it or to cancel an on book trade.
Trade Capture Report Request	AD	Allows the client to query/request for a set of Trade Capture Reports from the server

<sup>3</sup> The Post Trade Gateway currently does not explicitly validate the lengths of the client submitted fields (e.g. Firm Trade ID). Hence if more characters are specified they will be truncated based on the maximum length that can be supported at the Data Base level. Therefore it is advisable that the clients should adhere to that maximum length, even though there are no explicit gateway level validations.

### 6.3 Application Messages (Server-Initiated)

Message	MsgType	Usage
Trade Capture Report	AE	Indicates one of the following: (i) Trade (ii) Trade bust (iii) Trade correction
Application Message Request Ack	BX	Indicates whether a request to retransmit trades or for the latest ApplSeqNum is successful or not.
Trade Capture Report Ack	AR	Acknowledges the receipt of a Trade Capture Report message from the client.
Trade Capture Report Request Ack	AQ	Acknowledges the receipt of a Trade Capture Report Request message from the client.

### 6.4 Application Messages: Other (Server-Initiated)

Message	MsgType	Usage
Business Message Reject	J	(a) Indicates that an application message sent by the client could not be processed.

### 6.5 Variations from the FIX Protocol

The server conforms to the FIX protocol except as follows:

- (i) The TradeRequestResult (749) field of the Trade Capture Report Request Ack includes custom values.
- (ii) The Trade Capture Report Request includes the fields MatchType (574) and Account (1).
- (iii) The TrdSubType (829) field of the Trade Capture Report contains custom values.
- (iv) The Trade Capture Report message includes AccountType(581) field.
- (v) The Trade Capture Report message includes custom fields Original Price (20100), Clearing Type (20110) and Novated Indicator (20111).

# 7 Message formats

This section provides details on the header and trailer, the seven administrative messages and seven application messages utilised by the post trade gateway. Client-initiated messages not included in this section are rejected by the server via a Reject or Business Message Reject. All fields are encoded in using printable ASCII.

## 7.1 Message header and trailer

### 7.1.1 Message Header

Tag	Field Name	Req	Description																														
8	BeginString	Y	FIXT.1.1																														
9	BodyLength	Y	Number of characters after this field up to and including the delimiter immediately preceding the CheckSum.																														
35	MsgType	Y	The message type. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Heartbeat</td> </tr> <tr> <td>1</td> <td>Test Request</td> </tr> <tr> <td>2</td> <td>Resend Request</td> </tr> <tr> <td>3</td> <td>Reject</td> </tr> <tr> <td>4</td> <td>Sequence Reset</td> </tr> <tr> <td>5</td> <td>Logout</td> </tr> <tr> <td>A</td> <td>Logon</td> </tr> <tr> <td>AD</td> <td>Trade Capture Report Request</td> </tr> <tr> <td>AE</td> <td>Trade Capture Report</td> </tr> <tr> <td>AQ</td> <td>Trade Capture Report Request Ack</td> </tr> <tr> <td>AR</td> <td>Trade Capture Report Ack</td> </tr> <tr> <td>BW</td> <td>Application Message Request</td> </tr> <tr> <td>BX</td> <td>Application Message Request Ack</td> </tr> <tr> <td>j</td> <td>Business Message Reject</td> </tr> </tbody> </table>	Value	Meaning	0	Heartbeat	1	Test Request	2	Resend Request	3	Reject	4	Sequence Reset	5	Logout	A	Logon	AD	Trade Capture Report Request	AE	Trade Capture Report	AQ	Trade Capture Report Request Ack	AR	Trade Capture Report Ack	BW	Application Message Request	BX	Application Message Request Ack	j	Business Message Reject
Value	Meaning																																
0	Heartbeat																																
1	Test Request																																
2	Resend Request																																
3	Reject																																
4	Sequence Reset																																
5	Logout																																
A	Logon																																
AD	Trade Capture Report Request																																
AE	Trade Capture Report																																
AQ	Trade Capture Report Request Ack																																
AR	Trade Capture Report Ack																																
BW	Application Message Request																																
BX	Application Message Request Ack																																
j	Business Message Reject																																
49	SenderCompID	Y	CompID of the party sending the message.																														
56	TargetCompID	Y	CompID of the party the message is sent to.																														
34	MsgSeqNum	Y	The sequence number of the message.																														

43	PossDupFlag	N	<p>Whether the message was previously transmitted under the same MsgSeqNum (34). Absence of this field is interpreted as Original Transmission (N).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Possible Duplicate</td> </tr> <tr> <td>N</td> <td>Original Transmission</td> </tr> </tbody> </table>	Value	Meaning	Y	Possible Duplicate	N	Original Transmission
Value	Meaning								
Y	Possible Duplicate								
N	Original Transmission								
97	PossResend	N	<p>Whether the message was previously transmitted under a different MsgSeqNum (34). Absence of this field is interpreted as Original Transmission (N).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Possible Resend</td> </tr> <tr> <td>N</td> <td>Original Transmission</td> </tr> </tbody> </table>	Value	Meaning	Y	Possible Resend	N	Original Transmission
Value	Meaning								
Y	Possible Resend								
N	Original Transmission								
52	SendingTime	N	<p>Time the message was transmitted. Not required for incoming messages sent by the clients (even if sent by a client, no validation will be done). Required for outgoing messages sent by the server.</p>						
115	OnBehalfOfCompID	N	<p>The ID of the party which the message is on behalf of; will only be used in client initiated messages.</p>						
128	DeliverToCompID	N	<p>The value specified in the OnBehalfOfCompID(115) field will be stamped; will only be used in server initiated messages.</p>						
122	OrigSendingTime	N	<p>Time the message was originally transmitted. If the original time is not available, this should be the same value as SendingTime (52). Required if PossDupFlag (43) is Possible Duplicate (Y).</p>						
1128	ApplVerID	N	<p>Version of FIX used in the message. Required if the message is generated by the server.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>FIX50SP2</td> </tr> </tbody> </table>	Value	Meaning	9	FIX50SP2		
Value	Meaning								
9	FIX50SP2								

### 7.1.2 Message Trailer

Tag	Field Name	Req	Description
10	Checksum	Y	

## 7.2 Administrative messages

### 7.2.1 Logon

Tag	Field Name	Req	Description								
<b>Standard Header</b>											
35	MsgType	Y	A = Logon								
<b>Message Body</b>											
98	EncryptMethod	Y	The method of encryption. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> </tbody> </table>	Value	Meaning	0	None				
Value	Meaning										
0	None										
108	HeartBtInt	Y	Indicates the heartbeat interval in seconds.								
141	ResetSeqNum Flag	N	Indicates whether the client and server should reset sequence numbers. Absence of this field is interpreted as Do Not Reset Sequence Numbers (N). <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Reset Sequence Numbers</td> </tr> <tr> <td>N</td> <td>Do Not Reset Sequence Numbers</td> </tr> </tbody> </table>	Value	Meaning	Y	Reset Sequence Numbers	N	Do Not Reset Sequence Numbers		
Value	Meaning										
Y	Reset Sequence Numbers										
N	Do Not Reset Sequence Numbers										
554	Password	N	The password assigned to the CompID. Required if the message is generated by the client.								
925	NewPassword	N	The new password for the CompID.								
1409	SessionStatus	N	Status of the FIX session or the request to change the password. Required if the message is generated by the server. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Session Active</td> </tr> <tr> <td>2</td> <td>Password Due to Expire</td> </tr> <tr> <td>3</td> <td>New Password Does Not Comply with Policy</td> </tr> </tbody> </table>	Value	Meaning	0	Session Active	2	Password Due to Expire	3	New Password Does Not Comply with Policy
Value	Meaning										
0	Session Active										
2	Password Due to Expire										
3	New Password Does Not Comply with Policy										

1137	DefaultAppVerID	Y	Default version of FIX messages used in this session.				
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>FIX50SP2</td> </tr> </tbody> </table>	Value	Meaning	9	FIX50SP2
Value	Meaning						
9	FIX50SP2						
<b>Standard Trailer</b>							

### 7.2.2 Logout

Tag	Field Name	Req	Description																
<b>Standard Header</b>																			
35	MsgType	Y	5 = Logout																
<b>Message Body</b>																			
1409	SessionStatus	N	Status of the FIX session. Required if the message is generated by the server.																
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Session logout complete</td> </tr> <tr> <td>6</td> <td>Account locked</td> </tr> <tr> <td>7</td> <td>Logons are not allowed at this time</td> </tr> <tr> <td>8</td> <td>Password expired</td> </tr> <tr> <td>100</td> <td>Other</td> </tr> <tr> <td>101</td> <td>Logout due to session level failure</td> </tr> <tr> <td>102</td> <td>Logout by Service Desk</td> </tr> </tbody> </table>	Value	Meaning	4	Session logout complete	6	Account locked	7	Logons are not allowed at this time	8	Password expired	100	Other	101	Logout due to session level failure	102	Logout by Service Desk
Value	Meaning																		
4	Session logout complete																		
6	Account locked																		
7	Logons are not allowed at this time																		
8	Password expired																		
100	Other																		
101	Logout due to session level failure																		
102	Logout by Service Desk																		
58	Text	N	The field will contain the next expected sequence number if the server terminated the connection after receiving a sequence number that was less than what was expected. In other cases the field will contain the reason for the logout.																
<b>Standard Trailer</b>																			

### 7.2.3 Heartbeat

Tag	Field Name	Req	Description
<b>Standard Header</b>			
35	MsgType	Y	0 = Heartbeat

Message Body			
112	TestReqID	N	Required if the heartbeat is a response to a Test Request. The value in this field should echo the TestReqID (112) received in the Test Request.
Standard Trailer			

#### 7.2.4 Test Request

Tag	Field Name	Req	Description
Standard Header			
35	MsgType	Y	1 = Test Request
Message Body			
112	TestReqID	Y	Identifier for the request.
Standard Trailer			

#### 7.2.5 Resend Request

Tag	Field Name	Req	Description
Standard Header			
35	MsgType	Y	2 = Resend Request
Message Body			
7	BeginSeqNo	Y	Sequence number of first message in range.
16	EndSeqNo	Y	Sequence number of last message in range.
Standard Trailer			

#### 7.2.6 Reject

Tag	Field Name	Req	Description
Standard Header			
35	MsgType	Y	3 = Reject
Message Body			
45	RefSeqNum	Y	MsgSeqNum (34) of the rejected message.
371	RefTagID	N	If a message is rejected due to an issue with a particular field its tag number will be indicated.
372	RefMsgType	N	MsgType (35) of the rejected message.
373	SessionReject Reason	N	Code specifying the reason for the reject. Please refer to Section 8 for a list of reject codes.
58	Text	N	Text specifying the SessionRejectReason(373)
Standard Trailer			



### 7.2.7 Sequence Reset

Tag	Field Name	Req	Description						
<b>Standard Header</b>									
35	MsgType	Y	4 = Sequence Reset						
<b>Message Body</b>									
36	NewSeqNo	Y	Sequence number of the next message to be transmitted.						
123	GapFillFlag	N	The mode in which the message is being used. Absence of this field is interpreted as Sequence Reset (N). <table border="1" data-bbox="608 745 1171 898"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Gap Fill</td> </tr> <tr> <td>N</td> <td>Sequence Reset</td> </tr> </tbody> </table>	Value	Meaning	Y	Gap Fill	N	Sequence Reset
Value	Meaning								
Y	Gap Fill								
N	Sequence Reset								
<b>Standard Trailer</b>									

## 7.3 Application messages

### 7.3.1 Trade Capture Report

Tag	Field Name	Req	Description
<b>Standard Header</b>			
35	MsgType	Y	AE = Trade Capture Report
<b>Message Body</b>			
1180	ApplID	N	Identifier of the matching partition. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).
1181	ApplSeqNum	N	Matching partition's sequence number for trade. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).
1350	ApplLastSeqNum	N	ApplSeqNum of last trade generated for client. Required if ApplResendFlag (1352) is not "Y" and TradeRequestID(568) is not present. Will not be used in messages sent by clients for submitting off book trades.

1352	ApplResendFlag	N	<p>Whether the message is sent in response to an Application Message Request. Absence of this field is interpreted as Original Transmission (N).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Response to Application Message Request</td> </tr> <tr> <td>N</td> <td>Original Transmission</td> </tr> </tbody> </table> <p>Will not be used in messages sent by clients for submitting off book trades.</p>	Value	Meaning	Y	Response to Application Message Request	N	Original Transmission
Value	Meaning								
Y	Response to Application Message Request								
N	Original Transmission								
568	TradeRequestID	N	Identifier of the Trade Capture Report Request the message is sent in response to.						
912	LastRptRequested	N	<p>Indicates the last message sent in response to a Trade Capture Report Request.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Meaning	Y	Last Message		
Value	Meaning								
Y	Last Message								
571	TradeReportID	N	Identifier of this message. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).						
1003	TradeID	N	<p>Identifier of the trade. Required for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).</p> <p>If a confirmed off-book trade is being cancelled or is being pre-released, then the TradeID assigned to the particular trade by the system needs to be referred.</p>						
1041	FirmTradeID	N	<p>Identifier assigned to an off book trade by the counterparties. Required if TrdType (828) is Off book Trade (54) and Special-Priced Trade (Off Book) (30). This field is not validated on pre-release and cancellation requests.</p> <p>Note – is limited to 50 characters.</p>						
820	TradeLinkID	N	A unique ID for all the trades relating to this transaction. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).						

487	TradeReportTrans Type	Y	<p>Type of transaction being reported.</p> <table border="1" data-bbox="967 315 1479 669"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>New</td> </tr> <tr> <td>1</td> <td>Cancel</td> </tr> <tr> <td>2</td> <td>Replace</td> </tr> <tr> <td>3</td> <td>Release (indicates that a previously reported off book trade has been pre-released on the market feed.)</td> </tr> </tbody> </table>	Value	Meaning	0	New	1	Cancel	2	Replace	3	Release (indicates that a previously reported off book trade has been pre-released on the market feed.)		
Value	Meaning														
0	New														
1	Cancel														
2	Replace														
3	Release (indicates that a previously reported off book trade has been pre-released on the market feed.)														
856	TradeReportType	Y	<p>Type of trade report.</p> <table border="1" data-bbox="967 768 1479 1077"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Submit</td> </tr> <tr> <td>4</td> <td>Addendum</td> </tr> <tr> <td>5</td> <td>No/Was</td> </tr> <tr> <td>6</td> <td>Trade Report Cancel</td> </tr> <tr> <td>7</td> <td>Trade Break</td> </tr> </tbody> </table>	Value	Meaning	0	Submit	4	Addendum	5	No/Was	6	Trade Report Cancel	7	Trade Break
Value	Meaning														
0	Submit														
4	Addendum														
5	No/Was														
6	Trade Report Cancel														
7	Trade Break														
1123	TradeHandlingInstr	N	<p>Handling instructions to client or the server.</p> <table border="1" data-bbox="967 1211 1479 1480"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Trade Confirmation</td> </tr> <tr> <td>1</td> <td>Two party report (i.e. Single party submission)</td> </tr> <tr> <td>3</td> <td>One-Party Report for Pass Through</td> </tr> </tbody> </table> <p>The system will validate the TradeHandlingInstr sent for an on book trade cancellation request.</p>	Value	Meaning	0	Trade Confirmation	1	Two party report (i.e. Single party submission)	3	One-Party Report for Pass Through				
Value	Meaning														
0	Trade Confirmation														
1	Two party report (i.e. Single party submission)														
3	One-Party Report for Pass Through														
1124	OrigTradeHandling Instr	N	<p>Model under which off-book trade was confirmed. Required for messages published by the system if TrdType (828) is Off-Book Trade (54) and Special-Priced Trade (Off Book) (30).</p> <table border="1" data-bbox="967 1787 1479 1890"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Two-Party Report</td> </tr> </tbody> </table>	Value	Meaning	1	Two-Party Report								
Value	Meaning														
1	Two-Party Report														

828	TrdType	Y	Type of the trade, whether on-book or off-book or non-binary. <table border="1" data-bbox="965 349 1487 589"> <thead> <tr> <th data-bbox="965 349 1075 398">Value</th> <th data-bbox="1075 349 1487 398">Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="965 398 1075 448">0</td> <td data-bbox="1075 398 1487 448">Regular Trade</td> </tr> <tr> <td data-bbox="965 448 1075 533">30</td> <td data-bbox="1075 448 1487 533">Special-Priced Trade (Off Book)</td> </tr> <tr> <td data-bbox="965 533 1075 589">54</td> <td data-bbox="1075 533 1487 589">Off-Book Trade</td> </tr> </tbody> </table>	Value	Meaning	0	Regular Trade	30	Special-Priced Trade (Off Book)	54	Off-Book Trade
Value	Meaning										
0	Regular Trade										
30	Special-Priced Trade (Off Book)										
54	Off-Book Trade										

829	TrdSubType	<p data-bbox="893 212 1484 347">N Conditionally required if TradeType denotes an off-book trade. The system will no validate the TrdSubType on an off book cancellation or pre-release.</p> <table border="1" data-bbox="965 403 1484 2004"> <thead> <tr> <th data-bbox="965 403 1077 448"></th> <th data-bbox="1077 403 1484 448">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="965 448 1077 526">17</td> <td data-bbox="1077 448 1484 526">LC – Late correction - XLON</td> </tr> <tr> <td data-bbox="965 526 1077 582">20</td> <td data-bbox="1077 526 1484 582">NM – Not to mark - XLON</td> </tr> <tr> <td data-bbox="965 582 1077 638">24</td> <td data-bbox="1077 582 1484 638">PC – Previous Day Contra</td> </tr> <tr> <td data-bbox="965 638 1077 750">1000</td> <td data-bbox="1077 638 1484 750">O – Ordinary trade immediate publication- XLON</td> </tr> <tr> <td data-bbox="965 750 1077 840">1004</td> <td data-bbox="1077 750 1484 840">IF - Inter Fund Transfer delayed publication-XOFF</td> </tr> <tr> <td data-bbox="965 840 1077 918">1005</td> <td data-bbox="1077 840 1484 918">NK - Negotiated Trade delayed publication XLON</td> </tr> <tr> <td data-bbox="965 918 1077 1041">1006</td> <td data-bbox="1077 918 1484 1041">NT - Negotiated Trade immediate publication- XLON</td> </tr> <tr> <td data-bbox="965 1041 1077 1131">1007</td> <td data-bbox="1077 1041 1484 1131">OC – OTC Late Correction - XOFF</td> </tr> <tr> <td data-bbox="965 1131 1077 1209">1008</td> <td data-bbox="1077 1131 1484 1209">OK – Ordinary Trade delayed publication-XLON</td> </tr> <tr> <td data-bbox="965 1209 1077 1332">1009</td> <td data-bbox="1077 1209 1484 1332">OT – Ordinary Trade Immediate publication- XOFF</td> </tr> <tr> <td data-bbox="965 1332 1077 1377">1010</td> <td data-bbox="1077 1332 1484 1377">SC - SI Late Correction</td> </tr> <tr> <td data-bbox="965 1377 1077 1467">1011</td> <td data-bbox="1077 1377 1484 1467">SI - SI Trade immediate publication</td> </tr> <tr> <td data-bbox="965 1467 1077 1545">1012</td> <td data-bbox="1077 1467 1484 1545">SK - SI Trade delayed publication</td> </tr> <tr> <td data-bbox="965 1545 1077 1635">1013</td> <td data-bbox="1077 1545 1484 1635">TK - OTC Trade delayed publication-XOFF</td> </tr> <tr> <td data-bbox="965 1635 1077 1680">2001</td> <td data-bbox="1077 1635 1484 1680">BT - OTC MTF TBA 1</td> </tr> <tr> <td data-bbox="965 1680 1077 1769">3001</td> <td data-bbox="1077 1680 1484 1769">BK – OTC trade – delayed publication MTF TBA 1</td> </tr> <tr> <td data-bbox="965 1769 1077 1892">1018</td> <td data-bbox="1077 1769 1484 1892">BF – Inter fund cross-delayed publication requested MTF TBA 1</td> </tr> <tr> <td data-bbox="965 1892 1077 2004">1019</td> <td data-bbox="1077 1892 1484 2004">BC – Cancellation of OTC trade after date of publication MTF TBA 1</td> </tr> </tbody> </table>		Description	17	LC – Late correction - XLON	20	NM – Not to mark - XLON	24	PC – Previous Day Contra	1000	O – Ordinary trade immediate publication- XLON	1004	IF - Inter Fund Transfer delayed publication-XOFF	1005	NK - Negotiated Trade delayed publication XLON	1006	NT - Negotiated Trade immediate publication- XLON	1007	OC – OTC Late Correction - XOFF	1008	OK – Ordinary Trade delayed publication-XLON	1009	OT – Ordinary Trade Immediate publication- XOFF	1010	SC - SI Late Correction	1011	SI - SI Trade immediate publication	1012	SK - SI Trade delayed publication	1013	TK - OTC Trade delayed publication-XOFF	2001	BT - OTC MTF TBA 1	3001	BK – OTC trade – delayed publication MTF TBA 1	1018	BF – Inter fund cross-delayed publication requested MTF TBA 1	1019	BC – Cancellation of OTC trade after date of publication MTF TBA 1
	Description																																							
17	LC – Late correction - XLON																																							
20	NM – Not to mark - XLON																																							
24	PC – Previous Day Contra																																							
1000	O – Ordinary trade immediate publication- XLON																																							
1004	IF - Inter Fund Transfer delayed publication-XOFF																																							
1005	NK - Negotiated Trade delayed publication XLON																																							
1006	NT - Negotiated Trade immediate publication- XLON																																							
1007	OC – OTC Late Correction - XOFF																																							
1008	OK – Ordinary Trade delayed publication-XLON																																							
1009	OT – Ordinary Trade Immediate publication- XOFF																																							
1010	SC - SI Late Correction																																							
1011	SI - SI Trade immediate publication																																							
1012	SK - SI Trade delayed publication																																							
1013	TK - OTC Trade delayed publication-XOFF																																							
2001	BT - OTC MTF TBA 1																																							
3001	BK – OTC trade – delayed publication MTF TBA 1																																							
1018	BF – Inter fund cross-delayed publication requested MTF TBA 1																																							
1019	BC – Cancellation of OTC trade after date of publication MTF TBA 1																																							

			1020	QT - OTC MTF TBA 2
			1021	QK – OTC trade – delayed publication MTF TBA 2
			1022	QF – Inter fund cross-delayed publication requested MTF TBA 2
			1023	QC – Cancellation of OTC trade after date of publication MTF TBA 2
			1024	MT - OTC MTF TBA 3
			1025	MK – OTC trade – delayed publication MTF TBA 3
			1026	MF – Inter fund cross-delayed publication requested MTF TBA 3
			1027	MC – Cancellation of OTC trade after date of publication MTF TBA 3
			1028	CT - OTC MTF TBA 4
			1029	CK – OTC trade – delayed publication MTF TBA 4
			2002	CF – Inter fund cross-delayed publication requested MTF TBA 4
			1031	CC – Cancellation of OTC trade after date of publication MTF TBA 4
			1032	GC – Delayed Publication Late Correction XLON
			1033	NC - No to Mark Late Correction XLON

572	TradeReportRefID	N	Reference to trade being cancelled or corrected. Required if ExecType (150) is Trade Cancel (H) or Trade Correct (G).
60	TransactTime	N	Time the trade, bust or correction occurred. In an off-book trade, this will refer to the time the trade was originally executed on the participant's system if the message is reporting a trade. If the message is for a pre-release or a cancel request, time the message was created on the participant system. For an off/on book trade cancellations or off book pre-release trades, the system will not validate the value.
32	LastQty	N	Traded quantity. Required for all messages published from the system and off book trade submissions. The system will not validate the LastQty submitted for an on/off book cancellation or an off book cancellation with the original values. It is not possible to submit trades with zero or negative value for LastQty(32). It is possible to submit sizes which do not conform to the lot size of the instrument and consisting of fractional values.
31	LastPx	N	Traded price specified in the instrument's trading currency. Required for all messages published from the system and off book trade submissions. The system will not validate the LastQty submitted for an on/off book cancellation or an off book cancellation with the original values. It is not possible to submit trades with negative value for LastPx(31)
64	SettlDate	N	Date on which the trade should settle. Will be used in messages going out of the server as well as messages coming in to the server in off book trade reporting. It is not possible for an off book trade to be submitted without a settlement date.

574	MatchType	N	<p>Point in matching process trade was matched. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).</p> <table border="1" data-bbox="967 450 1481 689"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Off Book Trade (Two Party Report)</td> </tr> <tr> <td>4</td> <td>Continuous Trading</td> </tr> <tr> <td>7</td> <td>Auction</td> </tr> </tbody> </table>	Value	Meaning	2	Off Book Trade (Two Party Report)	4	Continuous Trading	7	Auction
Value	Meaning										
2	Off Book Trade (Two Party Report)										
4	Continuous Trading										
7	Auction										
150	ExecType	N	<p>Type of execution that is being referred to by this message. This field is mandatory for any on book trade published by the system and any trade, cancellation or pre-release request confirmed by the server for off book trades.</p> <table border="1" data-bbox="967 1032 1481 1234"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Trade</td> </tr> <tr> <td>G</td> <td>Trade Correct</td> </tr> <tr> <td>H</td> <td>Trade Cancel</td> </tr> </tbody> </table>	Value	Meaning	F	Trade	G	Trade Correct	H	Trade Cancel
Value	Meaning										
F	Trade										
G	Trade Correct										
H	Trade Cancel										
20110	Clearing Type	N	<p>Defines whether the particular instrument is cleared or not.</p> <table border="1" data-bbox="967 1373 1481 1525"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Cleared (Non CCP)</td> </tr> <tr> <td>1</td> <td>Cleared (CCP)</td> </tr> </tbody> </table> <p>Required for messages published by the system.</p>	Value	Meaning	0	Not Cleared (Non CCP)	1	Cleared (CCP)		
Value	Meaning										
0	Not Cleared (Non CCP)										
1	Cleared (CCP)										



20111	Novated Indicator	N	<p>Defines whether the trade needs to be sent to clearing system. Will be set based on whether the trade is an internalised trade, off-book trade or if it is a non-cleared instrument.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table> <p>Required for messages published by the system.</p>	Value	Meaning	0	No	1	Yes		
Value	Meaning										
0	No										
1	Yes										
20100	OriginalPrice	N	Used to specify the price of the off book trade if it was carried out in a currency other than the trading currency of the instrument. The value specified is the value in SettlCurrency(120)								
120	SettlCurrency	N	<p>Originally executing currency of the off book trade, if it is different to the instrument's trading currency.</p> <p>Valid values are iso-4217 currency list and the following</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>GBX</td> <td>GB Pennies</td> </tr> <tr> <td>ZAC</td> <td>South African Cents (1/100<sup>th</sup> of a Rand)</td> </tr> <tr> <td>ITL</td> <td>Italian Lira</td> </tr> </tbody> </table>	Value	Meaning	GBX	GB Pennies	ZAC	South African Cents (1/100 <sup>th</sup> of a Rand)	ITL	Italian Lira
Value	Meaning										
GBX	GB Pennies										
ZAC	South African Cents (1/100 <sup>th</sup> of a Rand)										
ITL	Italian Lira										
48	SecurityID	Y	Unique Instrument ID assigned to the instrument in the Millennium Exchange.								
22	SecurityIDSource	Y	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>Exchange Symbol</td> </tr> </tbody> </table>	Value	Meaning	8	Exchange Symbol				
Value	Meaning										
8	Exchange Symbol										
454	NoSecurityAltID	N	<p>If present, value in this field will always be "1".</p> <p>Required for messages published from the system.</p>								
➡	455	SecurityAltID	N	Identification number of the instrument.							

➔	456	SecurityAltID Source	N	<p>Type of instrument identification used. Required if SecurityAltID (455) is specified.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Meaning	4	ISIN		
Value	Meaning									
4	ISIN									
573		MatchStatus	N	<p>Will be populated in all messages from the system.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Matched</td> </tr> <tr> <td>1</td> <td>Unmatched</td> </tr> </tbody> </table>	Value	Description	0	Matched	1	Unmatched
Value	Description									
0	Matched									
1	Unmatched									
552		NoSides	Y	<p>The number of sides in the Trade Capture Report.</p> <p>This will be set to "1" for any server-initiated messages, i.e. any on book trade or a confirmation/cancellation/pre-release of an off book trade.</p> <p>This field will be set to "2" for client-initiated messages, i.e. any off book trade being submitted/cancelled/pre-released.</p> <p>This field will be set to "1" when submitting a Trade Capture Report to cancel an on book trade.</p>						
➔	54	Side	Y	<p>Side of the executed order.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Meaning	1	Buy	2	Sell
Value	Meaning									
1	Buy									
2	Sell									
➔	11	ClOrdID	N	<p>Identifier of the executed order as specified by the entering firm.</p> <p>Required only if TrdType(828) is Regular Trade (0).</p>						
➔	37	OrderID	N	<p>Identifier of the executed order as specified by matching system.</p> <p>Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).</p> <p>Required only if TrdType(828) is Regular Trade (0).</p>						

➔	1427	SideExecID	N	Identifier of the execution received by the order. Required only for messages sent by the server if TrdType(828) is Regular Trade (0). (i.e not required for messages sent by clients for submitting off book trades).								
➔	528	OrderCapacity	N	<p>Capacity of the firm that placed the executed order/off book trade.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Agency</td> </tr> <tr> <td>P</td> <td>Principal</td> </tr> <tr> <td>R</td> <td>Riskless Principal</td> </tr> </tbody> </table> <p>For Off Book trades, the field is required for the side block that contains Executing Firm (1) Party Role (452). It <b>should be omitted</b> from the side block that contains Counterparty Firm (17) Party Role (452)</p> <p>If this is not specified for side block that contains the Executing Firm(1) PartyRole (452) when submitting off book trades the trade will be rejected with reject code '99' and reason 'Capacity not specified for Executing Firm'</p>	Value	Meaning	A	Agency	P	Principal	R	Riskless Principal
Value	Meaning											
A	Agency											
P	Principal											
R	Riskless Principal											
➔	1115	OrderCategory	N	<p>Type of interest behind trade. Required only for messages sent by the server if TrdType(828) is Regular Trade (0).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Order</td> </tr> <tr> <td>2</td> <td>Quote</td> </tr> <tr> <td>3</td> <td>Off Book</td> </tr> </tbody> </table>	Value	Meaning	1	Order	2	Quote	3	Off Book
Value	Meaning											
1	Order											
2	Quote											
3	Off Book											

➔	1444	SideLiquidity Ind	N	<p>Whether the order added or removed liquidity. Required only for messages sent by the server if TrdType(828) is Regular Trade (0). (i.e not required for messages sent by clients for submitting off book trades).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Added Liquidity</td> </tr> <tr> <td>2</td> <td>Removed Liquidity</td> </tr> <tr> <td>4</td> <td>Auction</td> </tr> </tbody> </table>	Value	Meaning	1	Added Liquidity	2	Removed Liquidity	4	Auction				
Value	Meaning															
1	Added Liquidity															
2	Removed Liquidity															
4	Auction															
➔	453	NoPartyIDs	Y	Number of party identifiers.												
➔	➔	448	PartyID	<p>Y</p> <p>Identifier of the party. If two PartyID's are specified with the same PartRole(452) the Last PartyID will be considered as the correct PartyID.</p>												
➔	➔	447	PartyID Source	<p>Y</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary/Custom Code</td> </tr> </tbody> </table>	Value	Meaning	D	Proprietary/Custom Code								
Value	Meaning															
D	Proprietary/Custom Code															
➔	➔	452	Party Role	<p>Y</p> <p>Role of the specified PartyID (448).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Executing Firm</td> </tr> <tr> <td>12</td> <td>Trader ID</td> </tr> <tr> <td>17</td> <td>Counterparty Firm</td> </tr> <tr> <td>76</td> <td>Trader Group</td> </tr> <tr> <td>24</td> <td>Clearing Organisation</td> </tr> </tbody> </table> <p>For Off Book trades, these Trader Group (76) is required to be specified in the party block that contains Executing Firm (1) as a Party Role (452). It can be optionally present in the party block that contains Counterparty Firm (17) as a Party Role (452).</p>	Value	Meaning	1	Executing Firm	12	Trader ID	17	Counterparty Firm	76	Trader Group	24	Clearing Organisation
Value	Meaning															
1	Executing Firm															
12	Trader ID															
17	Counterparty Firm															
76	Trader Group															
24	Clearing Organisation															
➔	625	TradingSessionSubID		<p>Defines trading phase during which the particular trade has taken place. All trades that take place during the closing price crossing session should have this field set to z</p>												

➔	1	Account	N	Client Reference specified at order entry						
➔	581	AccountType	N	<p>Clearing account type.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Client</td> </tr> <tr> <td>3</td> <td>House</td> </tr> </tbody> </table> <p>For Off Book trades, the field can be optionally set for the side block that contains Executing Firm (1) Party Role (452). It <b>should be omitted</b> from the side block that contains Counterparty Firm (17) Party Role (452)</p>	Value	Meaning	1	Client	3	House
Value	Meaning									
1	Client									
3	House									

27011	PriceDifferential	N	<b>Value</b>	<b>Meaning</b>
			A	Aggressive (an order (visible or hidden) which executes immediately; any residual if visible is then stamped based on its deviation from the current BBO or P if hidden)
			B	New visible BBO
			1	Join visible BBO
			2	Joining/setting 2 <sup>nd</sup> best visible price
			3	Joining/setting 3 <sup>rd</sup> best visible price
			4	Joining/setting 4 <sup>th</sup> best visible price
			5	Joining/setting 5 <sup>th</sup> best visible price
			6	Joining/setting 6 <sup>th</sup> best visible price
			7	Joining/setting 7 <sup>th</sup> best visible price
			8	Joining/setting 8 <sup>th</sup> best visible price
			9	Joining/setting 9 <sup>th</sup> best visible price or joining/setting worse price point
			P	Passive (a Hidden order that rests i.e. do not execute. This is not valid for visible orders)
			This field will not be stamped if the trading parameter 'Capture Price Differential' is disabled.	
<b>Standard Trailer</b>				

### 7.3.2 Trade Capture Report Request

Tag	Field Name	Req	Description								
<b>Standard Header</b>											
35	MsgType	Y	AD = Trade Capture Report Request								
<b>Message Body</b>											
568	TradeRequestID	Y	Identifier for the trade request.								
569	TradeRequestType	Y	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>All Trades</td> </tr> <tr> <td>1</td> <td>Trades Matching Specified Criteria</td> </tr> </tbody> </table> <p>If none of the criteria below are specified, this will return all trades for the particular participant.</p>	Value	Meaning	0	All Trades	1	Trades Matching Specified Criteria		
Value	Meaning										
0	All Trades										
1	Trades Matching Specified Criteria										
150	ExecType	N	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Trade</td> </tr> <tr> <td>G</td> <td>Trade Correct</td> </tr> <tr> <td>H</td> <td>Trade Cancel</td> </tr> </tbody> </table>	Value	Meaning	F	Trade	G	Trade Correct	H	Trade Cancel
Value	Meaning										
F	Trade										
G	Trade Correct										
H	Trade Cancel										
828	TrdType	N	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>All Regular Trades</td> </tr> <tr> <td>30</td> <td>Special-Priced Trade (Off Book)</td> </tr> <tr> <td>54</td> <td>All Off Book Trades</td> </tr> </tbody> </table>	Value	Meaning	0	All Regular Trades	30	Special-Priced Trade (Off Book)	54	All Off Book Trades
Value	Meaning										
0	All Regular Trades										
30	Special-Priced Trade (Off Book)										
54	All Off Book Trades										

829	TrdSubType	N	<p>Conditionally required if TradeType denotes an off-book trade. The system will no validate the TrdSubType on an off book cancellation or pre-release.</p> <table border="1" data-bbox="730 454 1246 2056"> <thead> <tr> <th data-bbox="730 454 847 501"></th> <th data-bbox="847 454 1246 501">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="730 501 847 584">17</td> <td data-bbox="847 501 1246 584">LC – Late correction - XLON</td> </tr> <tr> <td data-bbox="730 584 847 631">20</td> <td data-bbox="847 584 1246 631">NM – Not to mark - XLON</td> </tr> <tr> <td data-bbox="730 631 847 687">24</td> <td data-bbox="847 631 1246 687">PC – Previous Day Contra</td> </tr> <tr> <td data-bbox="730 687 847 806">1000</td> <td data-bbox="847 687 1246 806">O – Ordinary trade immediate publication- XLON</td> </tr> <tr> <td data-bbox="730 806 847 889">1004</td> <td data-bbox="847 806 1246 889">IF - Inter Fund Transfer delayed publication-XOFF</td> </tr> <tr> <td data-bbox="730 889 847 972">1005</td> <td data-bbox="847 889 1246 972">NK - Negotiated Trade delayed publication XLON</td> </tr> <tr> <td data-bbox="730 972 847 1090">1006</td> <td data-bbox="847 972 1246 1090">NT - Negotiated Trade immediate publication- XLON</td> </tr> <tr> <td data-bbox="730 1090 847 1173">1007</td> <td data-bbox="847 1090 1246 1173">OC – OTC Late Correction - XOFF</td> </tr> <tr> <td data-bbox="730 1173 847 1256">1008</td> <td data-bbox="847 1173 1246 1256">OK – Ordinary Trade delayed publication-XLON</td> </tr> <tr> <td data-bbox="730 1256 847 1375">1009</td> <td data-bbox="847 1256 1246 1375">OTC – Ordinary Trade Immediate publication- XOFF</td> </tr> <tr> <td data-bbox="730 1375 847 1422">1010</td> <td data-bbox="847 1375 1246 1422">SC - SI Late Correction</td> </tr> <tr> <td data-bbox="730 1422 847 1505">1011</td> <td data-bbox="847 1422 1246 1505">SI - SI Trade immediate publication</td> </tr> <tr> <td data-bbox="730 1505 847 1588">1012</td> <td data-bbox="847 1505 1246 1588">SK - SI Trade delayed publication</td> </tr> <tr> <td data-bbox="730 1588 847 1671">1013</td> <td data-bbox="847 1588 1246 1671">TK - OTC Trade delayed publication-XOFF</td> </tr> <tr> <td data-bbox="730 1671 847 1718">2001</td> <td data-bbox="847 1671 1246 1718">BT - OTC MTF TBA 1</td> </tr> <tr> <td data-bbox="730 1718 847 1800">3001</td> <td data-bbox="847 1718 1246 1800">BK – OTC trade – delayed publication MTF TBA 1</td> </tr> <tr> <td data-bbox="730 1800 847 1919">1018</td> <td data-bbox="847 1800 1246 1919">BF – Inter fund cross- delayed publication requested MTF TBA 1</td> </tr> <tr> <td data-bbox="730 1919 847 2038">1019</td> <td data-bbox="847 1919 1246 2038">BC – Cancellation of OTC trade after date of publication MTF TBA 1</td> </tr> </tbody> </table>		Description	17	LC – Late correction - XLON	20	NM – Not to mark - XLON	24	PC – Previous Day Contra	1000	O – Ordinary trade immediate publication- XLON	1004	IF - Inter Fund Transfer delayed publication-XOFF	1005	NK - Negotiated Trade delayed publication XLON	1006	NT - Negotiated Trade immediate publication- XLON	1007	OC – OTC Late Correction - XOFF	1008	OK – Ordinary Trade delayed publication-XLON	1009	OTC – Ordinary Trade Immediate publication- XOFF	1010	SC - SI Late Correction	1011	SI - SI Trade immediate publication	1012	SK - SI Trade delayed publication	1013	TK - OTC Trade delayed publication-XOFF	2001	BT - OTC MTF TBA 1	3001	BK – OTC trade – delayed publication MTF TBA 1	1018	BF – Inter fund cross- delayed publication requested MTF TBA 1	1019	BC – Cancellation of OTC trade after date of publication MTF TBA 1
	Description																																								
17	LC – Late correction - XLON																																								
20	NM – Not to mark - XLON																																								
24	PC – Previous Day Contra																																								
1000	O – Ordinary trade immediate publication- XLON																																								
1004	IF - Inter Fund Transfer delayed publication-XOFF																																								
1005	NK - Negotiated Trade delayed publication XLON																																								
1006	NT - Negotiated Trade immediate publication- XLON																																								
1007	OC – OTC Late Correction - XOFF																																								
1008	OK – Ordinary Trade delayed publication-XLON																																								
1009	OTC – Ordinary Trade Immediate publication- XOFF																																								
1010	SC - SI Late Correction																																								
1011	SI - SI Trade immediate publication																																								
1012	SK - SI Trade delayed publication																																								
1013	TK - OTC Trade delayed publication-XOFF																																								
2001	BT - OTC MTF TBA 1																																								
3001	BK – OTC trade – delayed publication MTF TBA 1																																								
1018	BF – Inter fund cross- delayed publication requested MTF TBA 1																																								
1019	BC – Cancellation of OTC trade after date of publication MTF TBA 1																																								



			1020	QT - OTC MTF TBA 2	
			1021	QK – OTC trade – delayed publication MTF TBA 2	
			1022	QF – Inter fund cross-delayed publication requested MTF TBA 2	
			1023	QC – Cancellation of OTC trade after date of publication MTF TBA 2	
			1024	MT - OTC MTF TBA 3	
			1025	MK – OTC trade – delayed publication MTF TBA 3	
			1026	MF – Inter fund cross-delayed publication requested MTF TBA 3	
			1027	MC – Cancellation of OTC trade after date of publication MTF TBA 3	
			1028	CT - OTC MTF TBA 4	
			1029	CK – OTC trade – delayed publication MTF TBA 4	
			2002	CF – Inter fund cross-delayed publication requested MTF TBA 4	
			1031	CC – Cancellation of OTC trade after date of publication MTF TBA 4	
			1032	GC – Delayed Publication Late Correction XLON	
			1033	NC - No to Mark Late Correction XLON	
48	SecurityID	N	Unique Instrument ID assigned to the instrument in the Millennium Exchange.		
454	NoSecurityAltID	N	If present, value in this field should always be “1”.		
➔	455	SecurityAltID	N	Identification number of the instrument.	
➔	456	SecurityAltID Source	N	Type of instrument identification used. Required if SecurityAltID (455) is specified. When an ISIN is specified, all trades related to that ISIN will be disseminated (irrespective of the fact that whether the same ISIN had been used in multiple instruments).	
				<b>Value</b>	<b>Meaning</b>
				4	ISIN

54	Side	N	Side of the executed order.														
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Meaning	1	Buy	2	Sell								
Value	Meaning																
1	Buy																
2	Sell																
574	MatchType	N	Point in matching process trade was matched. Required only for messages sent by the server (i.e not required for messages sent by clients for submitting off book trades).														
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Off Book Trade (Two Party Report)</td> </tr> <tr> <td>4</td> <td>Continuous Trading</td> </tr> <tr> <td>7</td> <td>Auction</td> </tr> </tbody> </table>	Value	Meaning	2	Off Book Trade (Two Party Report)	4	Continuous Trading	7	Auction						
Value	Meaning																
2	Off Book Trade (Two Party Report)																
4	Continuous Trading																
7	Auction																
11	ClOrdID	N	Identifier of the executed order as specified by the entering firm.														
37	OrderID	N	Identifier of the executed order as specified by matching system.														
453	NoPartyIDs	N	Number of party identifiers.														
➔	448	PartyID	Identifier of the party.														
➔	447	PartyIDSource	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary/Custom Code</td> </tr> </tbody> </table>	Value	Meaning	D	Proprietary/Custom Code										
Value	Meaning																
D	Proprietary/Custom Code																
➔	452	PartyRole	Role of the specified PartyID (448).														
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Executing Firm</td> </tr> <tr> <td>7</td> <td>Entering Firm</td> </tr> <tr> <td>12</td> <td>Trader ID</td> </tr> <tr> <td>17</td> <td>Counterparty Firm</td> </tr> <tr> <td>76</td> <td>Trader Group</td> </tr> <tr> <td>24</td> <td>Clearing Organisation</td> </tr> </tbody> </table>	Value	Meaning	1	Executing Firm	7	Entering Firm	12	Trader ID	17	Counterparty Firm	76	Trader Group	24	Clearing Organisation
Value	Meaning																
1	Executing Firm																
7	Entering Firm																
12	Trader ID																
17	Counterparty Firm																
76	Trader Group																
24	Clearing Organisation																
22	SecurityIDSource	N	Required if SecurityID (48) is specified														
			<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>Exchange Symbol</td> </tr> </tbody> </table>	Value	Meaning	8	Exchange Symbol										
Value	Meaning																
8	Exchange Symbol																
1	Account	N	Client reference for the trade.														
<b>Standard Trailer</b>																	

### 7.3.3 Application Message Request

Tag	Field Name	Req	Description						
<b>Standard Header</b>									
35	MsgType	Y	BW = Application Message Request						
<b>Message Body</b>									
1346	ApplReqID	Y	Client specified unique identifier of the request.						
1347	ApplReqType	Y	Type of request. <table border="1" data-bbox="624 629 1254 813"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Retransmission of Application Messages</td> </tr> <tr> <td>2</td> <td>Request for Last ApplLastSeqNum</td> </tr> </tbody> </table>	Value	Meaning	0	Retransmission of Application Messages	2	Request for Last ApplLastSeqNum
Value	Meaning								
0	Retransmission of Application Messages								
2	Request for Last ApplLastSeqNum								
1351	NoApplIDs	Y	Number of ApplIDs to which the request relates.						
➔	1355	RefApplID	Y	Identifier of the matching partition.					
➔	1182	ApplBeg SeqNum	N	Application sequence number of first message in range to be resent. Required if ApplReqType (1347) is Retransmission of Application Messages (0).					
➔	1183	ApplEnd SeqNum	N	Application sequence number of last message in range to be resent. Required if ApplReqType (1347) is Retransmission of Application Messages (0).					
<b>Standard Trailer</b>									

### 7.3.4 Application Message Request Ack

Tag	Field Name	Req	Description						
<b>Standard Header</b>									
35	MsgType	Y	BX = Application Message Request Ack						
<b>Message Body</b>									
1353	ApplResponseID	Y	Server specified identifier of the acknowledgement.						
1346	ApplReqID	Y	Identifier of the request being acknowledged.						
1347	ApplReqType	Y	Type of request being acknowledged. <table border="1" data-bbox="624 1715 1254 1899"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Retransmission of Application Messages</td> </tr> <tr> <td>2</td> <td>Request for Last ApplLastSeqNum</td> </tr> </tbody> </table>	Value	Meaning	0	Retransmission of Application Messages	2	Request for Last ApplLastSeqNum
Value	Meaning								
0	Retransmission of Application Messages								
2	Request for Last ApplLastSeqNum								
1351	NoApplIDs	Y	Number of ApplIDs to which the request relates.						

➔	1355	RefApplID	Y	Identifier of the matching partition.								
➔	1182	ApplBeg SeqNum	N	Application sequence number of first message in range to be resent. Required if ApplReqType (1347) is Retransmission of Application Messages (0).								
➔	1183	ApplEnd SeqNum	N	Application sequence number of last message in range to be resent. Required if ApplReqType (1347) is Retransmission of Application Messages (0).								
➔	1357	RefAppl LastSeq Num	N	ApplSeqNum of the last trade generated for the client. Required if ApplReqType (1347) is Request for Last ApplLastSeqNum (2) and ApplResponseError (1354) is not specified.								
➔	1354	Appl Response Error	N	Reason request is rejected. <table border="1" data-bbox="624 752 1248 956"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>ApplID Does Not Exist</td> </tr> <tr> <td>1</td> <td>Requested Trades are Not Available</td> </tr> <tr> <td>2</td> <td>Client Not Authorised</td> </tr> </tbody> </table>	Value	Meaning	0	ApplID Does Not Exist	1	Requested Trades are Not Available	2	Client Not Authorised
Value	Meaning											
0	ApplID Does Not Exist											
1	Requested Trades are Not Available											
2	Client Not Authorised											
<b>Standard Trailer</b>												

### 7.3.5 Trade Capture Report Ack

Tag	Field Name	Req	Description
<b>Standard Header</b>			
35	MsgType	Y	AR = Trade Capture Report Ack
<b>Message Body</b>			
1003	TradeID	N	Value submitted with the trade cancel/pre-release request. Required only for messages generated in response to trade cancel requests or pre-release requests.
1041	FirmTradeID	N	Value submitted with the trade report. Required only for the messages generated by the server to respond to client generated messages with regard to off book trades.
856	TradeReportType	Y	Value submitted with the trade report.
751	TradeReportReject Reason	N	Code specifying the reason for rejection. Please refer to Section 8 for a list of reject codes. Required if TrdRptStatus (939) is Rejected (1).
58	Text	N	Text specifying the reason for the rejection.

487	TradeReportTrans Type	N	Value submitted with the trade report.							
939	TrdRptStatus	Y	Specifies whether the Trade Capture Report was accepted or rejected. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Accepted</td> </tr> <tr> <td>1</td> <td>Rejected</td> </tr> </tbody> </table>		Value	Meaning	0	Accepted	1	Rejected
Value	Meaning									
0	Accepted									
1	Rejected									
1123	TradeHandlingInstr	Y	Value submitted with the trade report.							
573	MatchStatus	N	Status of the pre-negotiated trade. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Matched</td> </tr> <tr> <td>1</td> <td>Unmatched</td> </tr> </tbody> </table>		Value	Meaning	0	Matched	1	Unmatched
Value	Meaning									
0	Matched									
1	Unmatched									
48	SecurityID	Y	Unique Instrument ID assigned to the instrument in the Millennium Exchange.							
22	SecurityIDSource	Y	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>Exchange Symbol</td> </tr> </tbody> </table>	Value	Meaning	8	Exchange Symbol			
Value	Meaning									
8	Exchange Symbol									
32	LastQty	N	Value submitted with the trade report.							
31	LastPx	N	Value submitted with the trade report.							
828	TrdType	N	Value submitted with the trade report.							
60	TransactTime	N	This has to be the time specified by the user on the submitted TCR in case of acknowledgement of off book trades. This will be the time stamped by the server in other cases.							
1352	ApplResendFlag	N	Whether the message is sent in response to an Application Message Request. Absence of this field is interpreted as Original Transmission (N). <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Response to Application Message Request</td> </tr> <tr> <td>N</td> <td>Original Transmission</td> </tr> </tbody> </table> Will not be used in messages sent by clients for submitting off book trades.		Value	Meaning	Y	Response to Application Message Request	N	Original Transmission
Value	Meaning									
Y	Response to Application Message Request									
N	Original Transmission									

### 7.3.6 Trade Capture Report Request Ack

Tag	Field Name	Req	Description
Standard Header			

35	MsgType	Y	AQ = Trade Capture Report Request Ack												
<b>Message Body</b>															
568	TradeRequestID	Y	Identifier of the request being acknowledged.												
569	TradeRequestType	Y	Value specified in the request.												
750	TradeRequestStatus	Y	Whether the request is accepted or rejected. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Accepted</td> </tr> <tr> <td>2</td> <td>Rejected</td> </tr> </tbody> </table>	Value	Meaning	0	Accepted	2	Rejected						
Value	Meaning														
0	Accepted														
2	Rejected														
749	TradeRequestResult	Y	Reason the request is rejected. <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Successful</td> </tr> <tr> <td>8</td> <td>TradeRequestType not supported</td> </tr> <tr> <td>9</td> <td>Not Authorized / Max number of requests exceeded.</td> </tr> <tr> <td>100</td> <td>Cannot match selection criteria</td> </tr> <tr> <td>200</td> <td>Request Limit for Day Reached</td> </tr> </tbody> </table>	Value	Meaning	0	Successful	8	TradeRequestType not supported	9	Not Authorized / Max number of requests exceeded.	100	Cannot match selection criteria	200	Request Limit for Day Reached
Value	Meaning														
0	Successful														
8	TradeRequestType not supported														
9	Not Authorized / Max number of requests exceeded.														
100	Cannot match selection criteria														
200	Request Limit for Day Reached														
748	TotNumTradeReports	N	Number of Trade Capture Reports that will be sent in response to the request. Required if TradeRequestStatus (750) is Accepted (0).												
<b>Standard Trailer</b>															

### 7.3.7 Business Message Reject

Tag	Field Name	Req	Description
<b>Standard Header</b>			
35	MsgType	Y	j = Business Message Reject
<b>Message Body</b>			
379	BusinessRejectRefID	N	Client specified identifier (e.g. Firm Trade ID) of the rejected message if it is available.
45	RefSeqNum	Y	MsgSeqNum (34) of the rejected message.
372	RefMsgType	Y	MsgType (35) of the rejected message.
371	RefTagID	N	If a message is rejected to due to an issue with a particular field its tag number will be indicated.

379	BusinessReject RefID	N	Client specified identifier (e.g. Firm Trade ID) of the rejected message if it is available.	
			<b>Message</b>	<b>Identifier</b>
			TradeCaptureReport	FirmTradeID(1041)
			TradeCaptureReportRequest	TradeRequestID(568)
			ApplicationMessageRequest	ApplReqID(1346)
380	BusinessReject Reason	Y	Code specifying the reason for the reject. Please refer to Section 8 for a list of reject codes.	
58	Text	N	Text specifying the BusinessRejectReason(380)	
<b>Standard Trailer</b>				

## 8 Reject codes

Session Reject Reason	Meaning
1	Required tag missing
2	Tag not defined for this message type
4	Tag specified without a value
5	Value is incorrect (out of range) for this tag
6	Incorrect data format for value
9	CompID problem
13	Tag appears more than once
14	Tag specified out of required order
15	Repeating group fields out of order
16	Incorrect NumInGroup count for repeating group
18	Invalid or unsupported application version
99	Other

### 8.1 Trade Capture Report Ack

Trade Report Reject Reason	Meaning
1	Unknown RootPartyID or PartyID
2	Unknown instrument
3	Not authorised to submit trade reports
4	Invalid TrdType (828) or TrdSubType (829)
99	Other– will include system generated text on the exact error
100	Invalid TradeHandlingInstr (1123) for instrument
101	Capacity / Clearing Account specified for counterparty



## 8.2 Business Message Reject

Business Reject Reason	Meaning
0	Message rate exceeded
3	Unsupported message type
4	Application not available
5	Conditionally required field missing

## 9 Service availability

Customer Activity	Availability
Telnet Access	02.00 - 18:17
Login Access	04.00 - 18:17
TCR Message Receipt	07:15 - 18:15
OTBD Requests	05:00 - 18:15
Trade Report Entry	07:15 - 17:15

Clients wishing to test connectivity outside of these hours should review MIT501 – Guide to Testing Services for more information.



**London**  
Stock Exchange

Copyright © April 2013 London Stock Exchange plc.  
Registered in England and Wales No. 2075721.

London Stock Exchange plc has used all reasonable efforts to ensure that the information contained in this publication is correct at the time of going to press, but shall not be liable for decisions made in reliance on it.

London Stock Exchange and the coat of arms device are registered trade marks of London Stock Exchange plc.

London Stock Exchange  
10 Paternoster Square  
London EC4M 7LS  
Telephone: +44 (0)20 7797 1000

[www.londonstockexchange.com](http://www.londonstockexchange.com)

v1.25